

Collecting • Testing • Informing

June 2025

- 422 samples analysed (386 community, 36 Criminal Justice Services)
  - 75 substances identified either in isolation or combination
  - Samples received from across the UK
    - 9 services
      - Including: Health, Substance Misuse Services, Mental Health, Criminal Justice Services and Housing and Homelessness
      - Alongside samples submitted anonymously by individuals

Sex / age profile of sample providers

- Sex (where listed n= 363 of 386 samples)
  - Male: 78% (n= 284)
  - Female: 22% (n= 79)
- Age
  - Range: 13 to 77yrs (Median: 36yrs)
  - Male age range: 13 to 73yrs (Median: 37yrs)
  - Female age range: 14 to 77yrs (Median: 35yrs)

Purchase vs Post analysis Top 10


	Most commonly listed purchase intent	Most commonly profiled substances
1	Diazepam	Diazepam
2	Cocaine	Cocaine
3	MDMA	MDMA
4	Alprazolam	Paracetamol
5	Clonazepam	Caffeine
6	Unknown	Clonazepam
7	Heroin	Bromazolam
8	Ketamine	Ethylbromazolam
9	Pregabalin	No Active Component Identified
10	THC	Heroin

Benzodiazepines

- 11 Benzodiazepines identified
  - Diazepam (90 purchase intent / 58 identifications)
  - Clonazepam (20 purchase intent / 20 identifications)
  - Bromazolam (0 purchase intent / 19 identifications)
  - Ethylbromazolam (0 purchase intent / 18 identifications)
  - Alprazolam (30 purchase intent / 11 identifications)
  - Clobromazolam (0 purchase intent / 7 identifications)
  - Etizolam
  - Nitrazepam
  - Bromazepam
  - Desalkylgidazepam
  - Pyrazolam

Identifications <5

Contents of samples submitted as Diazepam: June 2025 (n=90)



Diazepam sample providers:

Age range: 20 to 77yrs
Median: 41yrs

Nitazenes

In June 2025, Five samples were profiled as containing nitazene's

- Three were purchased as Heroin
  - All three samples were submitted in as varying shades of brown in powder form.
    - Two were profiled as containing a mixture of substances; Etonitazene, alongside heroin, opioid alkaloids and metabolites, paracetamol and caffeine
    - One was profiled as containing Etonitazene and Metonitazene, alongside heroin, opioid alkaloids and metabolites, paracetamol and caffeine

- Two were submitted as Oxycodone
  - One a blue tablet profiled as containing Metonitazene
  - One a green / white tablet profiled as containing N,N-dimethyletonitazene

- One was submitted as Protonitazene
  - This sample was submitted on white blotter paper and was profiled as containing Protonitazene